

BOAT ACCESSORIES

Ladders
Gangways
Canopies
Paddles And Hooks
Boat-Engine Covers
Console Covers
Jet Ski Covers
Pumps
Horns
Adhesive Tapes
Ceramic Heater
Dehumidifier

71-103





BOARDING FOLDABLE STERN LADDER

Stainless steel 316 with wooden steps. Its width is such that guarantees easy and comfortable boarding.



Code	Steps	Dimens. cm	Tube Diam mm
573 - 3	3	L 64 x W 26	22
573 - 4	4	L 86 x W 26	22



BOARDING FOLDABLE STERN LADDER

Stainless steel 316 with wooden steps. Very narrow model for boats with poor stern space.



Code	Steps	Dimens. cm	Tube Diam mm
575 - 3	3	L 64 x W 19	22
575 - 4	4	L 86 x W 19	22



BOARDING FOLDABLE LADDER

Stainless steel 316 with wooden steps. It has hand rails for safer ascent. Its width is such that guarantees easy and comfortable boarding.



Code	Steps	Dimens. cm	Tube Diam mm
571 - 3	3	L 78 x W 26	22
571 - 4	4	L 98 x W 26	22



Code 4371 - 1 SPARE BASE FOR LADDER FOOT

Ideal for code 4371. Suitable for tube diameter 25mm



Code 4371

QUICK RELEASE LADDER BRACKET FOR CODE 4371-1

It is suitable for ladders of non permanent mounting.



BOARDING FOLDABLE LADDER

Stainless steel 316 with wooden steps and hand rails for safer and comfortable use.

Code	Steps	Length Closed cm	Length Open cm	Width cm	Ø Tube mm
566-4KP	4	65	110	26	22



V-BRACKET FOR BOARDING LADDERS

Code	For Tube Diam. mm
583-22	22
583-25	25



BOARDING FOLDABLE STERN LADDER

Stainless steel 316 with plastic steps. Its width is such that guarantees easy and comfortable boarding.

Code	Steps	Dimens. cm	Tube Diam mm
584 - 3	3	L 64 x W 30	25
584 - 4	4	L 86 x W 30	25



Code 582 SPARE BASE FOR LADDER FOOT

Suitable for tube up to 25mm.



STAINLESS STEEL FOLDABLE LADDER

Stainless steel foldable ladder with adjustable spacers and non-slip safety steps.

Code	Steps	Dimens. cm	Tube Diam mm
4652 - 3	3	L 63 x W 25	22
4652 - 4	4	L 90 x W 25	22



BOARDING FOLDABLE LADDER

Stainless steel 316 with plastic steps. It has hand rails for safer ascent. Its width is such that guarantees easy and comfortable boarding.



Code	Steps	Dimensions cm	Tube Diam mm
585 - 3	3	L 78 x W 30	25
585 - 4	4	L 98 x W 30	25



STAINLESS STEEL FOLDABLE HANDRAIL LADDER

Stainless steel foldable ladder with handrails. Adjustable spacers and non-slip safety steps.

Code	Steps	Dimens. cm	Tube Diam mm
565 - 3	3	L 67 x W 25	22
565 - 4	4	L 91 x W 25	22



PLASTIC CATCH LADDER



Code	Length mm	Diameter mm
576 - GREY	76	22
576 - WHITE		
576 - BLACK		



Code 582
**SPARE BASE FOR
LADDER FOOT**
Suitable for tube 25mm



STAINLESS STEEL FOLDABLE BOARDING LADDER

Stainless steel foldable ladder.

Code	Steps	Dimensions cm	Tube diameter
572 - 5	5	L 124 x W 25	25 mm



STAINLESS STEEL FOLDABLE LADDER

Stainless steel foldable ladder, suitable for inflatable boats. With adjustable spacers and non-slip safety steps.

Code	Steps	Width cm	Tube Diam mm
570 - 3	3	21	22
570 - 4	4	21	22
570 - 5	5	21	22

V-BRACKET FOR BOARDING LADDERS



Code	For Tube Diam. mm
583-22	22
583-25	25



STAINLESS STEEL FOLDABLE LADDER

Stainless steel foldable ladder, suitable for inflatable and small boats. Provided with wooden steps.

Code	Steps	Length Closed cm	Length Open cm	Width cm	Tube diameter
577-3	3	30	56	23	25 mm
577-4	4	50	76	23	25 mm

TELESCOPIC DIVE LADDER

Stainless steel telescopic ladder T style, angled to make it easier going onboard. It is very convenient as it occupies small space.




NEW

Code	Steps	Length cm Closed	Length cm Opened	Width cm
3993-3	3	43,2	85,4	34,3
3993-4	4	49,5	112	23



FOLDING LADDER
Stainless steel.



Code	Steps	Width mm		Total length mm	Diameter for placing it on the inflatable tube mm	Tube diameter mm
		Upper part	Lower part			
3998-1	5	345	280	900	480	22
3998-2	5	345	280	950	530	22



STAINLESS STEEL TELESCOPIC BOARDING LADDER
Stainless steel. With telescopic slider. Perfectly storable minimizing the space needed. It fits on the platform.

Code	Steps	Length cm		Width cm
		Opened	Closed	
553 - 2	2	60	34	21
553 - 3	3	88	37	21
553 - 4	4	115,5	38,5	21
554 - 3	3	89	37	30
554 - 4	4	115,5	39,5	30



STAINLESS STEEL TELESCOPIC BOARDING LADDER
Stainless steel. With telescopic slider. Perfectly storable minimizing the space needed. It fits under the platform.

Code	Steps	Length cm		Width cm
		Opened	Closed	
568 - 3	3	85	37	20,5
568 - 4	4	115,5	40,5	20,5
3734	3	85	37	29
3735	4	115,5	40,5	29



STAINLESS STEEL TELESCOPIC LADDER
Stainless steel ladder, with telescopic slider. With non-slip safety steps and elegant storing case.
Suitable for flush mounting.

Code	Steps	Length cm		Width cm	Case Dimensions cm
		Opened	Closed		
574 - 3	3	89	34	28	L 45,5 x W 33,5 x H 4,5
574-4	4	116	39	28	L 45,5 x W 33,5 x H 4,5



INOX TRANSOM LADDER'S BASE
Suitable for codes 553* and 554*

Code	Dimensions mm	Type
693	L 200 mm x W 40	For pipe diameter 32 mm



PLATFORM
Stainless steel,
with motor bracket.

Code	Dimensions cm	Diameter mm
599	L 41 x W 26	22

**BOARDING
LADDER
PLATFORM INOX**
Boarding ladder
platform made of stain-
less steel pipe highly
polished with wooden
tabs and ladder with
three steps

Code	Dimensions cm	Diameter mm
598	27 x 21	22



ALUMINIUM LADDER
Made of anodized reinforced
aluminium with white steps
from polypropylene. Two
folding stand-off feet for better
storage. Step code 4263.



Code	Steps	Dimen. cm	Tube diam. mm
4261 - 2	2	L 66 x W 30	25
4261 - 3	3	L 92 x W 30	25
4261 - 4	4	L 122 x W 30	25
4261 - 5	5	L 159 x W 30	25



STAINLESS STEEL LADDER
With white steps made of poly-
propylene. Two folding stand-off
feet for better storage.
Step code 4263.

Code	Steps	Dimen. cm	Tube diam. mm
4262 - 2	2	L 66 x W 30	25
4262 - 3	3	L 92 x W 30	25
4262 - 4	4	L 122 x W 30	25
4262 - 5	5	L 159 x W 30	25

PLASTIC CATCH LADDER

Code	Length mm	Tube diam. mm
576 - GREY	76	22-25
576 - WHITE		
576 - BLACK		



**BOARDING LADDER FOR
INFLATABLE BOATS**
Made of anodized aluminium.

Code	Steps	Dimensions cm	Tube diam. mm
550 - 3	3	L 90 x W 31	25
550 - 4	4	L 120 x W 31	25



TEE SMALL

Code	Hole Diam mm
590 - 22	22



TEE LARGE NYLON

Code	Hole Diam mm
592 - 22	22
592 - 25	25



SPARE STEP

Plastic, with non-skid surface. Suitable
for codes 4261, 4262, 4264, 584, 585.

Code	Dimensions cm	Diameter mm
4263	L 30 x W 7	25



**Code 594
CAP FOR ROPE
LADDER**
For code 4264.

ROPE LADDER

With white steps made of polypropylene and
braided reinforced polyester rope. Handy, easy
to be stored and transferred.
Step code 4263.


Code	Steps	Dimensions cm
4264 - 2	2	L 63 x W 30
4264 - 3	3	L 100 x W 30
4264 - 4	4	L 130 x W 30



ROPE LADDER

Universal rope ladder with non-slippery
steps. It is very easy to be stored and
carried as it folds completely.

Code	Steps	Dimensions cm
4586-3	3	L 87 x W 30
4586-4	3	L 106 x W 30
4586-5	3	L 146 x W 30



FOLDING GANGWAY WITH TEAK FLOOR

Made of aluminium and teak. With wheels, pivot pin and recall hinge.

Code	Length m	Width m	Weight kg
658 - 1	1,9	0,37	15
658 - 2	2,5	0,37	18



FIXED GANGWAY WITH TEAK FLOOR

Made of aluminium and teak.

Code	Length m	Width m	Weight kg
660 - 1	1,9	0,37	13
660 - 2	2,5	0,37	17

FOLDING GANGWAY WITH ALUMINIUM FLOOR

Made of aluminium. With special non-slip surface, wheels, pivot pin and recall hinge.

Code	Length m	Width m	Weight kg
659 - 1	2,3	0,37	16
659 - 2	2,6	0,37	18

FOLDABLE POLYMER GANGWAYS

Polymer gangway represent a milestone in marine industry evolution. The high-end composite materials, the superior mechanical properties and functionalities, the exclusive design and durability make it a best performance product and an extremely strong and rigid construction. CE certified.


- Foldable with durable stainless steel hinge.
- Ergonomic design enables easy installation, handling and storing.
- Antislip surface guarantees safe access to the boat
- All fittings needed for installation are included
- Floatability
- All materials are UV protected
- UV resistant thread surface
- PU UV resistant wheels that do not leave marks
- Protected against scratches while storing with special elastic side tape



NEW



Code	Length m	Width m	Weight kg	Load capacity Kg	Color
3146-220	2,2	0,39	8,5 Kg	300 Kg	White
3146-280	2,8	0,45	12,5 Kg	300 Kg	White

**NEW****PLASTIC SEA STEP**


Plastic sea step with UV resistance
The number of steps depends on the clients' demand.

Code	Dimensions cm	Thickness cm
4672	L 79 cm x W 16 cm	3,7

**NEW****MIRROR POLISHED STAINLESS STEEL FOLDABLE GANGWAY**

Frame made of round pipe for extra strength, precision-cast AISI 316 stainless steel hinges and head, fitted with Iroko granting.

Κωδικός	Length m	Width m	Weight kg	Version
684	2.20	2,8	13,5	Foldable

**ELECTRIC GANGWAYS**


Telescopic electric gangways.
2 sizes to choose from. Handrails available with code 658-2.

Code	Length m	Elevation kg
4503 - 190	1,90	100
4503 - 250	2,50	100

**ELECTRO-HYDRAULIC GANGWAYS**

Mzelectronic's electro-hydraulic gangways are made of inox and are available in 3 sizes and 2 floor choices. They are fully automated thanks to the electronic control unit produced by the same company. They come with remote panel, remote control and stainless steel handrails.

Code	Length m	Elevation kg	Floor Type
4397-200	2,00	200	Teak wood
4397-230	2,30	150	Teak wood
4397-260	2,60	150	Teak wood

**TELESCOPIC FOLDABLE GANGWAY**

Foldable gangway made from aluminium with small volume. Double safety handle mechanism for opening/closing, four strong stainless steel pins that allow to block each section on the desirable position. Special plastic guides that allow each section to smoothly slide and to not close back during opening operations. Anti-sliding surface. Double pair of wheel, one in front and one pair back, to protect teak or fiberglass floor on the boat.

Code	Length cm	Width cm	Weight Kg
2740	87/200	39	15

**NEW**

Code 655-3
STAINLESS STEEL GANGWAY HANDRAIL
Suitable for codes 658* and 660*

**INBOARD ALUMINIUM GANGWAY ATTACHMENT.**

Suitable for codes 658*, 659* and 660*

Code	Diameter mm
655 - 1	25

FOLDABLE STEP

Made of investment cast mirror polished AISI 316 stainless steel; fitted with anti-vibration device.

Code	Mounting base	Size mm closed	opened
3973	111 x 65	38	145



PIPE AND HOSE REPAIR KIT

Suitable for sealing leaks in water pipes, oil pipes, gas pipes and more. Works on virtually any surface: rubber, plastic, copper, steel. Ready in just 30 minutes. Finished repair can be sanded and painted. Pressures up to 20 Bar.

Code	Dimensions m x cm
4213 - 75	L 2,7 x W 7,5



FABRIC TAPE

Multi purpose tape, suitable for temporary repairs. A high tensile cloth tape that will tear easily by hand and will bond readily to most surfaces yet removes cleanly. Color: light grey.

Code	Dimensions m x cm
3851	L 5 x W 5



SAFETY ANTISKID STRIPS

Safety Tread die cut into ten strips suitable for applying to steps, gangways, decks etc.

Code	Number of strips	Dimensions mm	Color
3388-1	10	19 x 300	White
3388-2			Black
3388-3			Transparent



CABLES CUTTER, WITH RUBBER HANDLE

Suitable for cutting steel cables and rods; ideal as work tools in the shop or in dockyards or as emergency tools for sail boats.

Code	Length mm	For S.S. cables up to mm
4583	480	10



ANTI - SKID TAPE

Rubber tape made especially to provide extra grip. Extremely resistant to UV lights and sea water. It can be removed easily without leaving any sticky residue.

Code	Dimensions m x cm
3850 - BLACK	L 4 x W 5



NEW

SAIL-MAKER'S PALM

Made of leather with reinforced metal, suitable for sewing or splicing.

Code	Type
858-1	Right hand
858-2	Left hand



ANTI - SKID TAPES

This waterproof vinyl tape has a textured surface which aids grip when applied to decks and companion ways. Color: White.

Code	Dimensions m x cm
1260	L 5 x W 5
1261	L 20 x W 10

SELF-ADHESIVE NYLON TAPES

Ideal for temporary repairs to torn sails..



Code	Dimensions m x cm
4209 - WHITE	L 4,5 x W 5
4209 - YELLOW	L 4,5 x W 5
4209 - RED	L 4,5 x W 5
4209 - BLUE	L 4,5 x W 5

CODE 3866

ANTI-CHAFE PATCH

Polyolefin film with a high performance acrylic adhesive. Operating temperature -40°C to 107°C. This application is intended to help prevent wear to vulnerable areas of the boat. Pack contains 4 clear UV resistant sheets on a blue disposable liner



Number of Patches	Dimensions L x W mm	micron
2	L 150 x W 125	250
1	L 125 x W 105	130
1	L 125 x W 75	130



SPRAY STOP ANTI SPLASH TAPE

An IMO compliant solution to the risk of spray out from pipe flanges and the fuel system. It can also be used on hot water and steam systems. Quick and easy to apply. Coil wrap the tape around any joint or linkage in the fuel system. Recommended for all vessels. Made of multilayer aluminium/glasscloth coated material. Tensile strength 158 lbs and max pressure 20 bar.

Code	Dimensions m x cm
3865	L 10 x W 5

**CANOPY (with fixed frames)**

Provides absolute protection from the sun on small inflatables and crafts. Resistant, made of polyester 600 D coated by PU, UV resistant and weight 200 gr/m². Its frames are made of anodized aluminium Ø 22 mm and they are connected disposing you from the duty of putting them together. It carries a 3 year fabric guarantee. Color: Grey.





Code	Dimensions mm	Boat Width mm	Spare Canopy Fabric
623 - 13	W 130 x L 210 x H 98	120 - 140	PA623 - 13
623 - 15	W 150 x L 225 x H 120	140 - 160	PA623 - 15
623 - 17	W 175 x L 275 x H 98	160 - 180	PA623 - 17
623 - 18	W 185 x L 275 x H 108	180 - 200	PA623 - 18

**FOLDABLE CANOPY (with removable frames)**

Suitable for small inflatables and crafts. Made of polyester 600 D coated by PU, UV resistant and weight 200 gr/m² that makes it resistant to all weather conditions while the frames are made by anodized aluminium Ø 22 mm. It can be easily installed and folded for storage. It carries a 3 year fabric guarantee. Color: Grey.



Code	Dimensions mm	Boat Width mm	Spare Canopy Fabric
619 - 12	W 125 x L 160 x H 109	120 - 140	PA619 - 12
619 - 14	W 145 x L 220 x H 108	140 - 160	PA619 - 14
619 - 16	W 160 x L 250 x H 110	160 - 180	PA619 - 16
619 - 18	W 180 x L 260 x H 115	180 - 200	PA619 - 18



ΤΕΝΤΑ ΣΠΑΣΤΗ ΑΝΟΔΕΙΩΜΕΝΟΥ ΑΛΟΥΜΙΝΙΟΥ (με τρία μπράτσα).

Παρέχει προστασία από τον ήλιο σε μικρά φουσκωτά, ταχύπλοα και βάρκες. Ανθεκτική, κατασκευασμένη από πολυεστέρας 600 D με επικάλυψη PU, UV φίλτρα και βάρους 200 gr/m². Τα πλαίσια είναι φτιαγμένα από ανοδιωμένο αλουμίνιο. Ø 22 mm και είναι συνδεδεμένα μεταξύ τους απαλλάσσοντας σας από τον κόπο συναρμολόγησης. Όταν κλείσει σπάνε τα μπράτσα και μεταφέρεται πολύ εύκολα. Φέρει εγγύηση υφάσματος 3 ετών.

Κωδικός	Διαστάσεις mm	Ανταλ. Πανί
625 - 15/ΓΚΡΙ	625 - 15/ΜΠΛΕ L 200 x W 150 x H 130	ΠΑ625 - 15 ΜΠΛΕ / ΓΚΡΙ
625 - 17/ΓΚΡΙ	625 - 17/ΜΠΛΕ L 210 x W 170 x H 130	ΠΑ625 - 17 ΜΠΛΕ / ΓΚΡΙ
625 - 19/ΓΚΡΙ	625 - 19/ΜΠΛΕ L 210 x W 190 x H 130	ΠΑ625 - 19 ΜΠΛΕ / ΓΚΡΙ
625 - 21/ΓΚΡΙ	625 - 21/ΜΠΛΕ L 210 x W 210 x H 130	ΠΑ625 - 21 ΜΠΛΕ / ΓΚΡΙ



ΤΕΝΤΑ ΜΕ ΣΤΑΘΕΡΑ ΠΛΑΙΣΙΑ ΑΝΟΞΕΙΔΩΤΗ (με τρία μπράτσα).

Παρέχει προστασία από τον ήλιο σε μικρά φουσκωτά, ταχύπλοα και βάρκες. Ανθεκτική, από καμβά με επικάλυψη PU, UV φίλτρα και βάρους 330 gr/m². Τα πλαίσια είναι φτιαγμένα από ανοξείδωτο σωλήνα Ø 22 mm και είναι συνδεδεμένα μεταξύ τους απαλλάσσοντας σας από τον κόπο συναρμολόγησης. Φέρει εγγύηση υφάσματος 3 ετών. Χρώμα: Μπλε.

Κωδικός	Διαστάσεις mm	Ανταλ. Πανί
729 - 15	L200 x W150 x H130	ΠΑ729 - 15 ΜΠΛΕ
729 - 17	L210 x W170 x H130	ΠΑ729 - 17 ΜΠΛΕ
729 - 19	L 210 x W 190 x H 130	ΠΑ729 - 19 ΜΠΛΕ
729 - 21	L 210 x W 210 x H 130	ΠΑ729 - 21 ΜΠΛΕ



ΤΕΝΤΑ ΜΙΚΡΟΥ ΦΟΥΣΚΩΤΟΥ ΜΕ 2 ΣΠΑΣΤΑ ΜΠΡΑΤΣΑ ΑΝΟΔΕΙΩΜΕΝΟΥ ΑΛΟΥΜΙΝΙΟΥ

Παρέχει προστασία από τον ήλιο σε μικρά φουσκωτά, ταχύπλοα και βάρκες. Ανθεκτική κατασκευασμένη από πολυεστέρας 600D με επικάλυψη PU, UV φίλτρα. Τα πλαίσια είναι φτιαγμένα από ανοδιωμένο αλουμίνιο Ø 22mm. Τα μπράτσα σπάνε για εύκολη μεταφορά και έχει extra ιμάντες στερέωσης. Φέρει εγγύηση υφάσματος 3 ετών.

Κωδικός	Διαστάσεις cm
621-13	L 154 x W 127 x H 140
621-15	L 160 x W 140 x H 144

Κωδ. 621

ΒΑΣΗ ΤΕΝΤΑΣ ΑΛΟΥΜΙΝΙΟΥ ΓΙΑ ΜΙΚΡΑ ΦΟΥΣΚΩΤΑ ΣΚΑΦΗ

Συνδυάζεται με τέντες με κωδικούς 621-13, 621-15 Διαστάσεις L 90 mm x H 40 mm x D 10 mm



Κωδ. 50144-1

ΥΦΑΣΜΑ ΠΟΛΥΕΣΤΕΡ

·Υφασμα: Πολυεστέρας (PES) 600D*600D
·Επικάλυψη: Πολιουρεθάνη (PU)

·Βάρος ανα τετρ.μέτρο: 240 gr/m²
·Χρώμα: pantone 289C ΒΑΘΥ ΜΠΛΕ(όπως Captain Navy)
·Με καλή προστασία UV
·Υψηλή αντοχή σε εφελκυσμό, σχίσιμο και αποχρωματισμό.
·Μήκος ρολού: 100 μέτρα, Πλάτος 1,5 μέτρα



Κωδ. 50144-2

ΥΦΑΣΜΑ ΠΟΛΥΕΣΤΕΡ

·Υφασμα: Πολυεστέρας (PES) 600D*600D
·Επικάλυψη: Πολιουρεθάνη (PU)

·Βάρος ανα τετρ.μέτρο: 240 gr/m²
·Χρώμα: pantone 427C ΓΚΡΙ
·Με καλή προστασία UV
·Υψηλή αντοχή σε εφελκυσμό, σχίσιμο και αποχρωματισμό.
·Μήκος ρολού: 100 μέτρα, Πλάτος 1,5 μέτρα



Κωδ. 50144-3

ΥΦΑΣΜΑ ΠΟΛΥΕΣΤΕΡΑΣ

·Υφασμα: Πολυεστέρας (PES) 600D*1200D
·Επικάλυψη: Πολιουρεθάνη (PU)

·Βάρος ανα τετρ.μέτρο: 350 gr/m²
·Χρώμα: pantone 289C ΒΑΘΥ ΜΠΛΕ(όπως Captain Navy)
·Με καλή προστασία UV
·Υψηλή αντοχή σε εφελκυσμό, σχίσιμο και αποχρωματισμό.
·Μήκος ρολού: 60 μέτρα, Πλάτος 1,5 μέτρα

TELESCOPIC MOUNTING**SPARE PARTS FOR CANOPIES:**

Made of anodised aluminum Ø 22mm and 19mm with adjustable length system.

A: CODE 638



Tube end Ø 19 mm.

C: CODE 633-G

Foldable base.



Code	Height cm	
	Closed	Opened
626	72	121

**TELESCOPIC SUPPORTS FOR TENTS**

Made of Ø 22/25-mm stainless steel. It supports the tent rear side.



Code	Hose diameter mm	Length mm	Parts
3845	22/25	750/1200	2 x End caps Ø 22mm 2 x End caps Ø 25mm 2 x 90° fork articulated joints with unthreadable spring pin Ø 22mm 2 x Fork articulated joints Ø 22mm 2 x Joints for tent tubes Ø 22/25mm 2 x stainless steel 316 pipes L60 cm Ø 25x1.2 2 x stainless steel 316 pipes L60 cm Ø 22x1.2

**CANOPY ANGLE**

Fixed 90° made of nylon.



Code	Dimensions cm	Ø mm
640 - BLACK	L 7 x W 7	22
640 - GREY		

CANOPY JUNCTION

Folding, made of nylon.



Code	Dimens. cm	Ø mm
1899 - BLACK	L 5 x W 5,5	22
1899 - GREY		

CONNECTION JOINTS FOR STRAIGHT PIPES

Stainless steel. Fitted with two spring lock buttons. To be mounted inside the pipe. It connects tubes of 22mm diameter with tubes of 25mm diameter and internal thickness 1,2 mm

Code	Length mm	For pipe diameter mm
3844-1	150	22 x 1,2
3844-2	150	25 x 1,2

**CANOPY MOUNTING**

Made of PVC. For inflatable boats.

Code	Dimensions cm	Diam. mm
631 - GREY	L 9,6 x W 7,3	22

**CANOPY JUNCTION NEW TYPE**

Folding, made of nylon.

Code	Dimensions cm	Ø mm
1898-GREY	L 5 x W 6	22
1898-BLACK	L 5 x W 6	22

CANOPY MOUNTING

Made of nylon. Side mounting.



Code	Dimensions cm	Diam. mm
632 - GREY	L 5,5 x W 2,5	22

**CANOPY MOUNTING**

Made of nylon. Placed horizontally

Code	Dimens. cm	Diam. mm
633 - BLACK	L 5,5 x W 2,5	22
633 - GREY		

Code 2412**RAIL COMPLETE TOP SLIDER KIT NYLON**

Includes: 2 hinges, 2 stops and 2 aluminium rails of 90 cm.

**CANOPY TUBE CONNECTOR**

Code	Tube Diameter mm	Length cm
3172	22	L 10



PVC RAIL FOR CURTAINS


Code	Length m	Width mm
736-1	6	17
736-2	6	34



Code 434-1
BELT NAYLON HOOK
For canopy's strap 25 mm, grey



Code 435
NAYLON HOOK
For canopy's strap 25 mm.
White, grey, black.



NAYLON HOOK

Code	For webbing of width mm
734	28




RAIL RIGHT DECK HINGE NAYLON

Code	Length mm	Width mm
2411 - 2	62	19



RAIL LEFT DECK HINGE NAYLON

Code	Length mm	Width mm
2411 - 1	62	19



SAIL FASTENERS WITH 2 PLASTIC BALLS

Code	Length cm
600-1	40
600-2	60



BUTTON NAYLON

Code	Color	Dimensions mm
703	White	L25 x W12 x H8. Suitable screw up to 4mm



**HOOKS FOR
INFLATABLE
BOAT COVERS**
Nylon.



RAIL SIDE DECK HINGE NAYLON

Code	Length mm	Width mm	Height mm
2413	57	20	25,4



NAYLON WEBBING BRIDGES

Code	External Length mm	Internal length mm	Height mm	Color
700-1	45	27	0,9	White
700-2	65	40	10	White



ROPE HOOKS

Plastic.

Code	Diameter mm
436-04	4
436-06	6
436-08	8
436-10	10



BUTTON NAYLON

Code	Diameter mm	Color
702-WH	19	White
702-B	Suitable screw up to 4mm	Black



CASHING BUTTON

For awnings, plastic. For code 629. For
slotted flat head countersunk screws
4,8 mm - 5,5 mm

Code	Int.Diam mm
645 - BLACK	5
645 - WHITE	



WEBBING SNAP HOOK

Stainless steel. For canopy strap.

Code	Length mm	Strap mm
3984	57	W 30



TERMINAL CAP

Stainless steel 316.

Code	Dimensions mm
3831-1	22
3831-2	25



BUTTON INOX

Code	External Diameter mm	Internal Diameter mm
604	13	5



MULTIPURPOSE STAINLESS STEEL HOOKS

Code	Dimensions mm
649	W17 x L28



**STAINLESS STEEL EYE ENDS**

For fastening a canopy.

Code	Diameter mm
679 - 22	22
679 - 25	25


**STAINLESS STEEL 316 EYE ENDS**

For fastening a canopy. With ball ends that gives freedom of movement to all the directions.

Code	Diameter mm
1903	22
3836	25

**COVER F90°**
Stainless steel.

Code	For pipe diameter mm
3839-22	22
3839-25	25

**JOINT FOR TENT TUBES**

It combines two Ø 22/25-mm tubes without weld, or makes them telescopic by fitting one into the other.

Code	For hose diameter mm
3843	22/25

**STAINLESS STEEL TUBE JOINTS**

For fastening a canopy.

Code	Diameter mm
680 - 22	22
680 - 25	25

**STAINLESS STEEL 316 JAW SLIDE**

For fastening a canopy. Special plastic inserts ensure smooth movement and tight rattle free fit.

Code	Diameter mm
1904	22
1904-25	25

**STAINLESS STEEL 316 FOLDABLE TUBE JOINTS**

Stainless steel 316 tube joints with lever clamping.

Code	Diameter mm
1902	22
1902-25	25

**FLAT TENT BASE**

Stainless steel.

Code	Dimensions mm
3837	93 x 40

**TENT BASE**

Stainless steel. Openable for mounting to pipe with diameter 25 mm

Code	For pipe with diameter mm
3838	25

TENT BASE

Stainless steel, fitted with retrievable pin.



Code	Dimensions mm	For pipe diameter mm
3840	90 x 40	22/25/30

**STAINLESS STEEL CANOPY JOINTS**

Code	Diameter mm
2423 - 22	22
2423 - 25	25

**STAINLESS STEEL FOLDABLE JOINTS**

Code	Diameter mm
673 - 22	22
673 - 25	25



666-2



666-1

STAINLESS STEEL UNIVERSAL DECK HINGES FOLDING

Can be mounted horizontally or vertically and can be inclined.

Code	Description	Dimensions mm
666 - 1	With screw	L 69 x W 8 x H 46
666 - 2	With safety pin	



671-2



671-1

STAINLESS STEEL DECK HINGES

Angle base for tubes.

Code	Description	Dimensions mm
671 - 1	With screw	L 60 x W 22 x H 36
671 - 2	With safety pin	



694-2



694-1

STAINLESS STEEL DECK HINGES

Inclined base.

Code	Description	Dimensions mm
694 - 1	With screw	L 60 x W 19 x H 36
694 - 2	With safety pin	



672-2



672-1

STAINLESS STEEL DECK HINGES

Vertical base.

Code	Description	Dimensions mm
672 - 1	With screw	L 60 x W 18 x H 36
672 - 2	With safety pin	



3842-1



3842-2

BIMINI BASE WITH EPDM SUPPORT FOR INFLATABLES

Stainless steel. The EPDM support is designed to be stuck on the inflatable chambers.

Code	Dimensions of mm	EPDM	Stainless Steel Base dimensions mm	Type	For hose diameter mm
3842-1	188 x 135		90 x 40	External	22/25/30
3842-2	188 x 135		90 x 40	Recess	22/25/30



STAINLESS STEEL DECK HINGE

Side mounting.

Code	Dimensions mm
695	L 5,1 x W 2,3



3841-1



3841-2



SNAP BASE FOR TENTS

Stainless steel snap hooking system.

Code	Base dimensions mm	Type	For hose diameter mm
3841-1	90 x 40	External	22/25/30
3841-2	54 x 29	Recess	22/25/30



STAINLESS STEEL JAW SLIDS ADJUSTABLE

Code	Diameter mm
682 - 25	25



STAINLESS STEEL FAIRLEAD

Code	Thickness mm
317 - 1	5
317 - 2	6
317 - 3	8



STAINLESS STEEL FAIRLEAD

Code	Diameter mm
318 - 1	10
318 - 2	13
318 - 3	17



PLATE

It is combined with code 751. It is used with codes 3975, 3976, 3977, 3997.

Code	Internal diameter mm
752	10 mm



GRUMMET

It is combined with code 752. It is used with codes 3975, 3976, 3977, 3997.

Code	Internal diameter mm
751	10 mm



MINAX
White, plastic.

Code	Type
3796	Male
3799	Female with safety pin



PUNCH FOR CLASPING - GRUMMET
For code 629*.

Code	For clasp - grummet with internal diameter mm
771-12	12 mm
771-15	15 mm
771-16	16 mm
771-19	19 mm



PUNCH FOR CLASPING - GRUMMET

Code	Suitable for codes
750	648
750-1	751, 752



Code 648
TURNING BUTTONS
For canopy canvas, made of chromed brass. Set of 3 pcs.



Code 3975
FABRIC GLASS.
With wood screw. It is combined with 3974.



CANOPY CLASPING
Chromed brass.
For code 645, 702 and 604.

Code	Internal diameter mm
629-12	12
629	15
629-16	16
629-19	19



SCREW COVER FLAT
Stainless Steel.

Code	A mm	B mm	C mm
620	42	44	4,5



Code 3976
FABRIC GLASS
With nut Screw. It is combined with 3974.



Code 3999
DEVICE TO SCREW



PLASTIC SHIM
For slotted flat head countersunk screws 4,8 mm - 5,5 mm

Code	Int. Diam mm
643 - BLACK	5
643 - WHITE	



BRASS CHROME CANOPY CLASP
Set of 4 pieces male-female

Code	Diameter mm
630	17




Code 3977
PLATE FASTENING
With 2 screws. It is combined with 3974.



Code 3974
FAST SNAP
Made of chromed brass. It is combined with code 3997.

FAST SNAP CHROMED BRASS
Brass chrome plated and stainless steel. It is combined with code 3974

Code	Dimensions		
	A	B	C
3997	20 mm	M10	1 mm



KNURL SCREW

Code	Length mm
749-9	9
749-17	17



INOX SCREW

Code	Length mm
775	28



SCREW HOLDER WITH CAP
For screws 4,8 - 6 mm, plastic.

Code
635 - BLACK
635 - WHITE
635 - GREY



PADDLES - HOOKS

Find a full range of paddles and hooks suitable for small boats, inflatables, canoes etc. in several lengths. They are made of anodized aluminium and reinforced polypropylene. Their plastic spare parts are also available



CANOE PADDLES

with two plastic grips

Code	Length cm	Tube diameter mm
718 - 28	230	28
718 - 30	240	30

CANOE PADDLE

Code	Length cm	Tube diameter mm
3412	200	25

KAYAK PADDLES

With two plastic grips dismantable.

Code	Length cm	Tube diameter mm
4484 - 1	220	25
4484 - 2	230	25

KAYAK PADDLES

With two plastic grips.

Code	Length cm	Tube diameter mm
4485 - 1 BLUE	220	29
4485 - 1 ORANGE	220	29
4485 - 2 BLUE	230	29
4485 - 2 ORANGE	230	29

STANDARD PADDLES

for several uses

Code	Length cm	Tube diameter mm
3409	150	25

TELESCOPIC PADDLE

Colour: orange.

Code	Length FROM / TO cm	Tube diameter mm
4247	53 / 107	25/22



3406-2

**DISMOUNTABLE PADDLE FOR LIFERAFT**

Dismountable paddle with pole made of anodised aluminum and foot paddle made of reinforced polypropylene. Suitable for all size liferafts. The paddle is composed of two parts.

Code	Close Length cm	Total Length cm	Pole Diameter mm
3406-2	49	91	25




3406-3

**DISMOUNTABLE PADDLE FOR LIFERAFT**

Dismountable paddle with pole made of anodised aluminum and foot paddle made of reinforced polypropylene. Suitable for all size liferafts. It may be produced in different pole dimensions upon special request.

Code	Length mm
3406-3	The pole dimensions are adjusted according to special requests

**DISMOUNTABLE PADDLES FOR INFLATABLE BOATS**

Code	Length cm	Tube Diameter mm
783-13	142	29
783-14	152	29
783-15	162	29

**DISMOUNTABLE PADDLES FOR INFLATABLE BOATS**

The pole is made of anodized aluminum and the paddle blade of reinforced polypropylene.

Code	Length cm	Tube diameter mm
741 - 14	140	35
741 - 15	150	35
741 - 16	160	35



3418
3419



711
712
713



721
706
714



715
717
716



709



SPARE GRIP

Code	Ø mm
738	25



SPARE PADDLE BLADES

Code	Length cm	Hole Diam mm
3207 - GREY	L 60 x W 12,5	30
3208 - GREY	L 60 x W 12,5	35
740 - 30	L 50 x W 12,5	30
3413 - 25	L 39 x W 17,5	25



3208



740-30



3413-25

STANDARD PADDLES WITH PALM GRIP for several uses

Code	Length cm	Tube diameter mm
3418	120	25
3419	105	

PADDLES With oarlock slot.

Code	Length cm	Tube diameter mm
711 - GREY	220	35
712 - GREY	200	
713 - GREY	185	

STANDARD PADDLES

Code	Length cm	Tube diameter mm
706 - GREY	180	35
714 - GREY	160	
721 - GREY	140	

DISMOUNTABLE PADDLES

Code	Length cm	Tube diameter mm
715 - GREY	200/100	35
716 - GREY	180/90	
717 - GREY	160/80	

TELESCOPIC PADDLES With oarlock slot.

Code	Length cm	Tube diameter mm
709 - GREY	200/150	30/25



735-25



735-30



735-35

OAR GRIPS



Code	tube diameter mm
735 - 25	25
735 - 30	30
735 - 35	35



SQUARE WOODEN OARS

regular type (Pair)

Code	Length cm
747 - 20	200
747 - 22	220
747 - 23	230
747 - 25	250
747 - 27	270
747 - 30	300

SQUARE WOODEN OARS, light type (Pair)

Code	Length cm
754 - 18	180
754 - 20	200
754 - 22	220
754 - 23	230
754 - 25	250

TELESCOPIC ALUMINIUM HARPOON

Code	Length cm	Tube diameter mm
730	200/105	30/25

PADDLE WITH HOOK

For several uses.

Code	Length cm	Tube diameter mm
3411	160	25

TELESCOPIC PADDLE WITH HOOK

With oarlock slot.

Code	Length cm	Tube diameter mm
710	200/150	30/25

TELESCOPIC BOAT HOOKS

Code	Length cm	Tube diameter mm
723	210/123	25/30
723 - 1	98/68	


BOAT HOOKS

Code	Length cm	Tube diameter mm
720 - 14	140	25
720 - 18	180	
720 - 22	220	



SPARE HOOK

Code	Ø mm
739 - GREY	25



1143-43



1143-52



NYLON WATER RESISTANT ROWLOCKS

Code	Ø mm
1143 - 52	52
1143 - 43	43



SPARE GRIP

Code	Ø mm
738	25



STAINLESS STEEL ROWLOCK FOR PADDLES

Code	Dimensions cm	Hole Ø mm
3170	H 21 x L 15 x W 4	16



HOLDER TUBE NAYLON

Code	Hole Ø mm	For Tube Ø mm
678-20	20	20
678-25	25	25
678-30	30	30
678-35	35	35
678-40	40	40



GALVANIZED ROWLOCK

Code	Hole Ø mm
3383	13



WOODEN ROWLOCK
For codes 1126-1127.

Code	Length mm
1128	245



STAINLESS STEEL SOCKET FOR ROWLOCK

Code	Dimensions cm	Hole Ø mm
3171	H 11 x L 10 x W 6	22,5

Code 1130 CHROME BRASS ROWLOCK
With brass socket, Ø 52 mm.



ROWLOCK SOCKET
Galvanized, for code 3383.

Code	Hole Ø mm
3382	14



PLASTIC ROWLOCKS HOLDER WHITE

Code	Dimensions mm
1126	L 270 x W 60



STAINLESS STEEL CLIPS

Code	Diameter mm
4464 - 08	8
4464 - 10	10
4464 - 12	12
4464 - 16	16
4464 - 18	18
4464 - 20	20
4464 - 25	24
4464 - 28	28
4464 - 32	32



POLE HOLDER CLIP
Durable plastic combined with stainless steel 316. The conjunction allows a slight flexibility of the clip diameter. Set of 2 pcs.

Code	Ø mm
4684	28-32



WOODEN ROWLOCKS HOLDER

Code	Dimensions mm
1127	L 240 x W 60

Code 4408

RUBBER CLAMP (Pair)

Ideal for stowing or transporting tools. Can also be used as a pipe stand-off (do not use on exhaust pipes). Mounts easily with one bolt or screw and with the strap facing any direction. Holds object of 22-57mm diameter and up to 10 kgs.



SAILBOAT SHADE

Applied to the sailboat's boom. White color, with complete accessories.



Code	Dimensions cm
4404 - 230	L 260 x W 230
4404 - 290	L 310 x W 290

WELCOME MAT WITH PVC UNDERLAY

Durable mats made of PVC, specially designed for boats as its non-skid surface offers safety on-board. They are resistant to sea conditions.

Code	Type	Dimensions mm	Thickness	Color
4744-BL				Blue
4744-GR	With pvc underlay	38 x 58cm	12mm	Grey
4744-BR				Brown

**JET SKI COVERS**

Enforced covers for the best protection of your jet ski. Eval jet ski covers are necessary for the protection against the sun, rain and dust, especially in periods that it is not in use. They are made of waterproof polyester 300D with PA cover. They come with straps in order to fit the jet ski perfectly and a storage bag. The sews are reinforced with extra waterproof tapes that makes the covers totally water resistant.

Code	Length from - to cm	Width cm	Description
3483 - 1	260 - 290	73	For one seated or two seated
3483 - 2	266 - 320	73	For two seated or three seated
3483 - 3	268 - 320	150	For two seated or three seated

**OUTBOARD MOTOR COVERS**

Made of waterproof resistant polyester 300D with PA over for best protection and waterproofing. The sews are reinforced with extra waterproof tapes that makes the covers totally water resistant. They are provided with a lace and zipper to fit the cover perfectly on your engine.


**OUTBOARD MOTOR COVERS**

Enforced waterproof Covers for the best protection of your engine. The new series of Eval Engine Covers protects your engine in periods that is not being used. They are made of polyester 300D with PA cover with extra enforcement and cover for best strength and waterproofing. They are provided with a lace to fit the cover perfectly on your outboard engine.

Code	Description	Dimensions cm
3488 - 6	For engine up to 6 Hp	48,3 x 28 x 30,5
3488 - 25	For engine up to 40 Hp	48 x 45 x 36
3488 - 60	For engine up to 60 Hp	76 x 38 x 40,6
3488 - 90	For engine up to 90 Hp	76 x 40,6 x 53,3
3488 - 150	For engine up to 150 Hp	76,2 x 43,2 x 88,9
3488 - 250	For engine up to 300 Hp	88,9 x 63,5 x 76,2

MARINE CARPET

Made of resistant PVC, it is designed to offer safety and comfort on board, thanks to its non-skid surface. It is very resistant to the sun, salt and generally to the atmospheric conditions.

**WITH UNDERLAY PVC**

DIMENSIONS: L 6 m x W 1,2 m Thickness 12mm	4267 - 2/GREY
	4267 - 2/BLUE

**WITHOUT UNDERLAY PVC**

DIMENSIONS: L 6 m x W 1,2 m Thickness 12mm	4267 - 4/GREY
	4267 - 4/BLUE


BOAT COVERS

Enforced waterproof Covers for the best protection of your boat!

Eval Boat Covers are necessary for the protection of your boat against the sun, rain and dust in periods that is not in use.. They are made of waterproof polyester 300D with PA cover and are being covered by special materials for greater waterproofing and sun protection. They are provided with high strength straps for the best adjustment on your boat. The enforced sewing offer great long lasting product while the sews are reinforced with extra waterproof tapes that makes the covers totally water resistant. The cover fits ideally with polyester boats, inflatable boats, with or without console, as they are being provided in several sizes according to the dimensions of your boat. The cover with code 3487-7 is made of waterproof polyester 600D and is available in blue color



Code	Length from - to cm	Width cm	denier	Color
3487	240-300	150	300 D	Grey
3487 - 0	304 - 355	150	300 D	Grey
3487 - 1	427 - 488	180	300 D	Grey
3487 - 2	427 - 488	229	300 D	Grey
3487 - 3	488 - 564	239	300 D	Grey
3487 - 4	518 - 579	244	300 D	Grey
3487 - 5	550 - 610	265	300 D	Grey
3487 - 6	580 - 650	295	300 D	Grey
3487 - 7	630 - 710	380	600 D	Blue



CONSOLE COVER

Made of resistant waterproof polyester 300D with PA cover for best protection and waterproofing. Provided with a lace for perfect fit.

Code	For console with	Dimensions cm
3481	L 50 x W 40 x H 120	



PEDESTAL SEAT COVERS

Cover is designed to protect pedestal seats from moisture and UV deterioration.

Constructed of waterproof, light-weight, UV stable, mildew-resistant Silver Coat polyester fabric. Includes shock cord in hem for a snug fit.

Code	Type
3414	Fits Bucket Style Seats



CONSOLE COVER

It is made from waterproof Polyester 300D and it has double sewing seams and string at the bottom for better implementation. The sews are reinforced with extra waterproof tapes that makes the covers totally water resistant.



Furthermore it protects the boat from the ultraviolet solar radiation and the marine instruments from the bad weather conditions.

Code	Height 1 cm	Height 2 cm	Depth cm	Width cm
4590 - 1	115	90	45	55
4590 - 2	90	65	75	85
4590 - 3	120	105	70	65
4590 - 4	140	100	90	70

BOAT SEAT COVERS

The boat seat covers are made of 100% polyester of superior quality so as to protect the boat seats from fading and cracking when exposed to sun rays, wind and generally to sea conditions. The fabric allows natural air venting to keep the seats mildew free. The extra wide elastic band helps to keep the cover securely in place.

Code	Dimensions cm	Color
3498-1	L61 x W56 x H 61	Γκρι
3498-2	L91,5 x W 50,8 x H 91,5	Γκρι
3498-3	L101,6 x W 50,8 x H 91,5	Γκρι
3498-4	L84 x W 56 x H 81,3	Γκρι
3498-5	L142 x W 58,4 x H 84	Γκρι

**NEW****NEW****NEW****COVER OF MULTIPLE USE**

Cover made of polyethylene 130gr/m. Durable and waterproof, ideal for the boat, the car, the camping etc.

Code	Dimensions m
3486-1	2 x 2
3486-2	2 x 3
3486-3	2 x 4
3486-4	3 x 3
3486-5	3 x 4
3486-6	3 x 5
3486-7	3 x 6
3486-8	3 x 7
3486-9	4 x 4
3486-10	4 x 5
3486-11	4 x 8
3486-12	4 x 9
3486-13	5 x 6
3486-14	5 x 7
3486-15	6 x 8

ADJUSTABLE BOAT COVER SUPPORT POLE

Extend the life of your boat cover by preventing water from pooling on top. The standard boat cover support pole has a non-marring tip on each end of a telescoping aluminum tube. A durable plastic knob allows for easy adjustment of the height.

Code	Description	Length
3804-1	Adjustable boat cover support pole	73-126 cm & Φ 19- Φ 22 mm
3804-2	Adjustable boat cover support pole with 3 extra items	90-160 cm & Φ 19- Φ 22 mm



**BRAVO 4
DOUBLE ACTION
HAND PUMP**
Capacity 2x2000 cc.
Made of polypropylene.
Pressure up-to 1 bar (14,7 psi).

Code	Dimensions cm
1145	23 x 11 x 45



**BRAVO 6
DOUBLE ACTION
HAND PUMP**
Made of ABS. Capacity
2x2.500 cc. Pressure up
to 0,6 bar (8,7 psi).

Code	Dimensions cm
1238	21 x 12 x 47



**BRAVO 6 M
DOUBLE ACTION HAND
PUMP WITH PRESSURE
GAUGE**
Made of ABS. Capacity
2x2.500 cc.
Pressure up to
0,6 bar (8,7 psi).

Code	Dimensions cm
1149	21 x 12 x 47



**FOOT PUMPS
HEAVY DUTY**
It has universal adaptor.

Code	Capacity lt
1173	6



FOOT PUMP 5lt
It has three types of
connecting nozzles.
Made of resistant PVC.

Code	Capacity lt
3704	5



FOOT PUMP
It has three types of
connecting nozzles.
Made of resistant PVC.

Code	Capacity lt
1146	3



FOOT PUMP PROFESSIONAL
It has double chamber of low and
high volume.
Suitable even for big dinghies.
Max pressure 1,0 bar (14,7 psi).

Code	Capacity lt
1184	6,5



**Code 522
PRESSURE RELIEF VALVE**

The new pressure relief valve has to be inserted
between the inflatable boat and the air source.
When overtaking the best pressure the valve
releases the surplus air.
In this way your inflatable boat will have the
best pressure.



**CODE 523
ADAPTOR FOR PUMPS**
Suitable for all pumps with
thread tube.

**Code 1148****ELECTRIC PUMP MB 50/12 C**

12V - 40 mbar/ 0,55PSI.
Provided with adaptor for the most common type of valves.
Light and not bulky. Suitable for small inflatable boats.

**Code 1148 - 1****ELECTRIC PUMP MB 80/12C**

12V - 80Mbar 700l/min.
Available with adaptor suitable for all type of valves.
Light, not bulky, suitable for inflatable boats.

**Code 1155****ELECTRIC PUMP**

150 lt / min ,12V-300 mbar / 4.4PSI.
Incorporates automatic pressure regulator suitable for inflatable boats.
Capacity to inflate and deflate any inflatable equipment. Indicatively, it inflates an inflatable boat in about 10 minutes.

**Code 1237****ELECTRIC PUMP**

1000 lt/min, 12V - 250 mbar. Capable of inflating in a few minutes even the biggest inflatable boats.
Weight 3,5 kg.
Inflates and deflates.

Boat size m	Inflating time min
4,80	3
5,20	4
5,80	6
7,30	8
9,50	9

**Code 1227****ELECTRIC PUMP**

500 lt/min, 12V, Maximum pressure 80 Kpa, Weight 2,6 kg, High speed and high pressure, Equipped with connection clip for batteries and 3 m wire and spiral tube 2 m.

Boat size m	Inflating time min
2,60	3
3,50	5
4,80	9
5,20	11

Code 1224**ELECTRIC PUMP**

450lt/min, 12V-300mbar.High speed and high pressure. If the case is removed it can be permanently installed on boat. It is accompanied with the nozzles coded 1224-1 Adjustable pressure. Inflates and deflates.

Boat size m	Inflating time min
2,60	3
3,50	5
4,80	9
5,20	11

**Code 1150****ELECTRIC PUMP FOR HEAVY DUTY**

1500 lt / min,
230 V -(120 V), 230 mbar.

**Code 3361****HAND HELD LOUD-SPEAKER 15 WATT****Code 3703****PRESSURE GAUGE**

For inflatable boats.

**WATERPROOF LOUDSPEAKER / VHF- 12V - 10 WATT**

Code	Type watt/Ohm
3942	10

**NEW****ELECTRIC TRUMPET WITH AMPLIFIER**

Electric horn, easy mounting, only requires for 2 horn wires to be connected into the control unit; supplied with mirror polished stainless steel bracket; fitted with voice amplifier device used to transmit vocal messages + automatic fog signal + VHF input; it includes microphone; RINA type-approved for pleasure and fishing boats from 12 to 20 metres.

Code	Volt	dB (1m)	Hz	Dimensions mm
3906-1	12V	112	800 Hz	154 x 121 x 132
3906-2	24V	112	800 Hz	154 x 121 x 132




HORN ELECTRIC TRUMPET
Stainless Steel.

Code	Volt	Amp	dB	Hz
4223-3	12	6A	119	340



HORN ELECTRIC TRUMPET
Stainless Steel.

Code	Volts	Amp	dB	Hz
4223 - 1	12	2,5	112	386



DOUBLE ELECTRIC TRUMPET HORN
High and low tone. Stainless Steel.

Code	Type	Volts	Amp	dB	Hz
4223 - 2	High Tone	12	4,1	112	386
	Low Tone	12	4,5	116	337



AIR HORN WITH WHITE ABS TRUMPET

Small size but with high sound output.
Complete with compressor.

Code	Volts	Amp	dB	Hz	Kg
3731 - 12	12	16	116	424	1,1



CHROME PLATED HORN (PAIR)
Manufactured of non-corrosive materials.

Code	Volts	Amp	dB	Hz	Kg
1440	12	10	116	410 / 490	1,1



ELECTROMAGNETIC HORN
Manufactured of non-corrosive materials.
Stainless steel trumpet.

Code	Volts	Amp	dB	Hz	Kg	Length mm
1443	12	5	118	370	0,9	400



HORN COMPLETE WITH PLASTIC GRILL
STAINLESS STEEL BASE

Code	Volts	Amp	dB	Hz
3562	12	5	108	400



PLASTIC HORN LOW PROFILE

Code	Volts	Amp	dB	Hz
4222	12	2	100	438



HORN MADE OF ABS WITH STAINLESS STEEL BRACKET FOR SMALL BOATS
Compact style for easy installation.

Code	Volts	Amp	dB	Hz
1441	12	5	108	400



TURBINE TYPE HORN
Stainless Steel.

Code	Volts	Amp	dB	Diameter mm
4221 - 1	12	2	100+5	83



DOUBLE TURBINE TYPE HORN
Stainless Steel.

Code	Volts	Amp	dB	Diameter mm
4221 - 2	12	4	100+5	83



CHROME PLATED HORN
Manufactured of non-corrosive materials.

Code	Volts	Amp	dB	Hz	Kg
3586	12	5	108	490	0,5



BUILT-IN HIDDEN PLASTIC HORN

Code	Dimen. mm	Volts	Amp	dB	Color
4964-W	W 83 x H 44	12	2	110 ±5	White



DOUBLE TURBINE TYPE HORN
Stainless Steel.

Code	Volts	Amp	dB	Dimen. mm
4221 - 3	12	10	112	L 230 x W 92 x H 85



BRASS PUSH SWITCH BUTTON 12V
With rubber cap.

Code	Dimensions mm	Diameter mm
1371	L 32	16



Code 1383
PUSH BUTTON
Boat hole diameter : 22mm
External diameter : 30mm



RECTANGULAR ELASTIC NET AS PHONE-HOLDER

Code	Dimensions mm	Color
4912	126 x 98	WHITE



RECTANGULAR ELASTIC NET AS OBJECT-HOLDER

Code	Dimensions mm	Color
4913	180 x 365	WHITE



ELASTIC NET TO CARRY VARIOUS OBJECTS

Net manufactured in string of unalterable synthetic material. Supplied all around with a rubber cord and nylon hooks.

Code	Dimensions mm	Weight gr
4914-1	300 x 200	200
4914-2	400 x 200	250



STORAGE CASE WITH NET

Made of white UV plastic. Ideal for storing various items on board. They come with a special sticker for easy installation on inflatable and open boats.

Code	Dimensions mm
4402 - 1	L 205 x W 120 x D 10
4402 - 2	L 205 x W 120 x D 32
4402 - 3	L 260 x W 115 x D 10
4402 - 4	L 260 x W 112 x D 32



FLUSH FITTED CADDY WHITE

For GPS and cell phone. Made of resistant plastic.

Code	Int. Dimens. mm	Height mm
4238	136 x 59	107



NEW

OBJECT CASE WITH SHUTTER LOCKING

Ideal for storing various objects. It is self-adhesive.

Code	Dimensions mm
4747	172 x 72 x 46



OBJECT HOLDER
Self-adhesive.

Code	Dimensions mm
4746	278 x 117 x 03

NEW



FLUSH FITTED STORAGE CADDY WHITE

Made of resistant plastic.

Code	Int. Dimen. mm	Height mm
4237	255 x 89	83



FLUSH FITTED STORAGE CADDY WHITE

Made of resistant plastic.

Code	Int. Dimen. mm	Height mm
4236	185 x 90	92



POCKET ORGANIZER

Suitable for storing GPS, sunglasses, safety gear etc.

Code	Int. Dimens. mm	Color
4386	L 254 x W 279 x H 51	WHITE



NEW

ADJUSTABLE PLASTIC GLASS HOLDER
Self-adhesive. It is equipped with a button that adjusts the glass holder size so as to be suitable for various glasses or bottles.

Code	Dimensions mm
3235	Ø90 x 105 x 105



DRINK HOLDER
Polished Stainless Steel.
Horizontal mounting

Code	Dimens. mm	Height mm	Diam mm
4535 - 1	106 x 106	76	90



PLASTIC DRINK HOLDER
For the secure placement of your beverage. Can be used with code 4385.

Code	Diameter mm	Length mm
4384	89	80




ISOTHERMAL COVER
Keeps your beverage ice cold.
Designed to keep the beverage (hot or cold) at the same temperature for a long time.

Code	Dimensions cm
4385	Ø 9 x H 10,5



FOLDING DRINK HOLDER
White plastic with inox 304 cover.

Code	Dimensions mm
4659	L 93 x W 95 x H 92



GLASS AND CAN HOLDER
Stainless Steel. For flush mounting with runoff.

Code	A mm	B mm	C mm	D mm
3260 - 3	109	95	83	6,3



DRINK HOLDERS
Polished Stainless Steel. Vertical mounting.

Code	No off places	Dimens. mm	Height mm	Diam mm
4535 - 2	1	106 x 106	76	90
4535 - 3	2	216 x 106	76	90



CUP HOLDER
Stainless Steel 316

Code	Diam. mm	Cups
4686 - 1	77	1
4686 - 2	77	2



STICKY PAD
Very helpful for keeping items in their place while the boat or other marine vehicle on the move. Suitable for keys, cell phones, ipad, mp3, dishes, glasses and many more objects.




PLASTIC DRINK HOLDER
Adjustable.

Code	Dimensions mm	Color
3536 - BL	99H x 140W x 22 Thickness	BLACK
3536 - WH		WHITE

Code	Description	Dimensions cm	Color
3989	Sticky pad	W28 x L40	WHITE
3989- 1	Sticky pad	H 14, 3 x L 9.3	BLACK
3989- 2	Sticky pad	H 14, 3 x L 9.4	CARBON
3989-3	Sticky pad	Ø8	WHITE


MARINE ANTI SLIP MAT

The very effective anti slip mat is made of natural rubber and it can be used on both sides. Every side has different color : blue on one side and grey on the other. It is ideal for the cupboards and cutlery trays. Perfect as underlay for your navigation desk and for your notebook on board. That's the easiest way to fix your cushions and carpets on deck. In addition it's very helpful during installation works and of course as table cloth. It is Extremely skidproof, very easy to cut and



Washable (40 °C).
Not for prolonged outdoor use as it is not resistant to prolonged UV radiation.

Code	Type	Dimensions cm	Edge	Color
2170-BL	Roll to cut by meter	40 cm	straight	Blue/Grey
2171-1BL	Pad	20 x 30 cm	picot	Blue/Grey
2171-2BL	Pad	30 x 40	picot	Blue/Grey



PLASTIC GLOVE BOX WITH ADJUSTABLE DRINK HOLDER

Code	Dimensions mm
3802	345 x 135 x 190



3112-2

3112-1

CAMERA CASE WATERPROOF

Code	Dimensions mm	Color
3112-1	120 x 180 x 0,3	Transparent
3112-2	240 x 280 x 0,3	Transparent

**NEW****UNIVERSAL CELL PHONE HOLDER**

Mounting with suction pads, adjustable width.

Code	Dimensions mm
4748	105 x 60 x 53

**NEW****MIRROR**

It is made of ABS with zinc alloy bracket of white painting.

Code	Dimensions mm	Lens
813	254 x 101	Polycarbonate 400R

**Code 4407
SELF INFLATING
KEY RING**

The famous "Key Buoy" is the ultimate accessory for boaters. When the device is thrown into the water an orange air tube is released which is 36cm long and clearly visible. The inflated tube draws the keys onto the surface of the sea in less than 1 minute and keep them floating for more than 1 hour. Suitable for single use only. Strong enough for all items up to 80gr. Avoid inhalation and contact with eyes and skin.

**PLASTIC BAG DISPENSER (Pair)**

This unique plastic bag dispenser holds 10 m of tightly wound polyethylene film. It is very simple to use. Pull the plastic bag material from centre of dispenser, take the length you need, cut with built-in safety cutter and tie a knot on both ends. Absolutely waterproof, any length you wish and suitable for food storage.



Code	Total Length/ Piece m	Circumference cm
4406	10	61

**NEW****TRASH BAGGER**

Uses common trash bags. Can be mounted on any flat surface.

Code	Int. Dimens. mm	Color
4382	L 279 x W 152 x H 102	WHITE

**UNIVERSAL CELL PHONE/GPS HOLDER**
Self-adhesive wall mounting.

Code	Dimensions mm
4749	73 x 63 x 48

**WATERPROOF CELL PHONE BAG**

Code	Dimensions mm
4738	150 x 85

**iPAD CASE
WATERPROOF**

Code	Dimensions mm	Color
3119	210 x 290 x 0,4	White

**Code 1895-1
FLOATING KEY
HOLDER****Code 1895
FLOATING KEY
HOLDER****NEW****Code 3553
WIND GAS LIGHTER**

Wind-proof, waterproof; rechargeable with standard refills, uses special technology, which keeps the flame alive under any weather condition; fitted with watertight cover and safety lock to prevent accidental opening.

**NEW****SPECTACLE CASE**
Mounting with suction pad.

Code	Dimensions mm
3236	165 x 57 x 130



TWO IN ONE FAN AND HEATER
Fan and heater, both operations integrated in one device. Made of ABS.

Code	Volt	Watt	Dimensions mm	
3287	12	300	H160 x W110 x 140 Depth	Automatic Safety Limit Switch Adjust 180° Right to Left

CERAMIC HEATER

Made of plastic. Instant defrost for windshield or dash-board or use as heater for small area. It can be adjusted 45° Up or Down, 90° Right to Left. 1,5 m power cord



Code	Volt	Watt	Dimensions mm
1814	12	150	L130 x W100 x H60

PORTABLE DEHUMIDIFIER 10 Lt

Ideal for use in the boat. It regulates the level of humidity in the cabin and improves the atmosphere for the occupants. Operates with high-quality compressor and uses environmental-friendly refrigerant R134. It has a water level detector, automatic shutdown, permanent dehumidification function, 12 hours timer and two types of filters which can be washed. Quickly removes unpleasant odors and moisture while it is characterised by its quiet operation. It also has a submersible handle that allows easy transportation.



Code	4723
Working Space m²	15 - 30
Dehumidifying Capacity lt / day	10 (30°C/RH 80%) 6 (27°C/RH60%)
Power	210
Supply V / Hz	220-240/50
Noise Level db	40
Dimensions mm	150 x 315 x 470
Weight kg	11



SPARE SACHET

Autoresolvable. Contains 450 gr. Of granulated absorbent. Environment-friendly and safe for the user. For dehumidifier code 3179.

Code	Fragrance
3179 - 1	NEUTRAL



SWELTER

Heating radiator with ceramic heater 300 W, 12 V

Code	Dimens. mm
4617	H 170mm x W 200mm x L 120mm



SWELTER

Thermic heat waves 120 Watt, 12 V.

Code	Dimens. mm
4616	L 190 x D 65 x H 80



DEHUMIDIFIER

Two different kind of refills are available, salts or tab. Dehumidifies up to 30 m³..

Code	Fragrance	Dimensions mm
3179	NEUTRAL	Ø Base: 12cm Ø Max: 15cm Height: 12cm



SPARE SACHET

Autoresolvable. Contains tab refill 450 gr. Environment-friendly and safe for the user. For dehumidifier code 3179.

Code	Fragrance
3179 - 2	NEUTRAL

VACUUM CLEANER

that can be transformed to multiple use pump



Code	Volt	Vacuum degree Pa	Noise	Psi
1700	12V	>1500Pa	<84dB	250psi

**Code 3289****MARINE FAN** 12V-15W.

(H 25 cm with base x W 20 cm)

**BAROMETER – SHIP WHEEL STYLE**

Made of wood.

Code	Dimensions mm
3788	Diameter 592 x D 103

**CLOCK, BAROMETER / THERMOMETER/ HYGROMETER**

Made of brass placed on a wood plaque. It can be mounted on the wall

Code	Dimensions mm
3787	H472 x W180 x Depth 63

**HYGROMETER**

Made of brass.

Code	Base diameter mm	Dial diameter mm	Depth mm
3781	120	75	55

**CLOCK & BAROMETER**

Made of brass placed on a wood plaque. It can be mounted on the wall .

Code	Dimensions mm
3783	H 240 x W 456 x Depth 90

**Code 828-1**
ALKALINE BATTERY AA**STAINLESS STEEL ASHTRAY**

Ideal for external use-windproof.

Code	Dimensions mm
2940	Ø 106 x H 60

**Code 1804****ILLUMINATED CHART MAGNIFIER**Operates with 2x AA Battery (not Included)
Diameter 75mm**DECORATIVE SHIP BELL**
Made of polished brass.

Code	Dimensions mm
3257 - 1	Ø 152 x H 100

**MULTIPURPOSE CLIP**

Made of durable plastic useful in hanging various objects (towel, gloves etc). The curved end can be adjusted to a fixed part of the boat and the clip at the other end holds the various objects. Set of 4 pieces.



Code	Height mm	Color
4683 - W	30	WHITE

DINNERWARE & DRINKWARE FROM EVAL

EVAL offers you a stylish and durable dinnerware to enjoy meals when onboard. The line includes dinner, soup and dessert plates, salad and cereal bowls, water, beer and wine glasses, cups and espresso cups and cutlery.



**Code 4857-01
DINNER PLATE**
Ø 25,4 cm



NEW



**Code 4857-03
SOUP PLATE**
Ø 23 cm



NEW



**Code 4857-02
DESSERT PLATE**
Ø 20 cm



NEW



**Code 4857-04
SALAD BOWL**
Ø 18 cm



NEW



**Code 4857
PLATES SET OF 20 PIECES**
The following are included :
4 dinner plates
4 soup plates
4 dessert plates
4 mugs



NEW



**Code 4866-02
CUTLERY SET OF
24 PIECES**
With plastic handle
6 knives
6 spoons
6 forks
6 tea spoons



NEW



**Code 4857-06
ESPRESSO CUP**
Ø of espresso cup 6,4cm
Ø of espresso cup plate
12,7cm

NEW



**Code 4857-05
CUP** Ø 7,6 cm

NEW




**Code 4866-01
CUTLERY SET 24 PCS**
6 knives
6 spoons
6 forks
6 tea spoons

NEW



**Code 4867-04
GLASS OF
CHAMPAGNE**
Ø80mm, Height:
185mm, 350ml

NEW



**Code 4867-1
WATER GLASS**
Ø70mm, Height:
145mm, 360ml

NEW



**Code 4867-05
GLASS FOR DRINK**
Ø50mm, Height: 190mm,
150ml

NEW



**Code 4867-2
WINE GLASS**
Ø70mm, Height:
135mm, 200ml

NEW



**Code 4867-03
WATER GLASS**
Ø85mm, Height:
95mm, 360ml

NEW





NEW

FRENCH PRECAST CORK MARINE DECK FLOOR - SEACORK

This precast marine deck floor is made of cork oak. The natural properties of cork such as lightness, durability, enormous endurance in extreme weather conditions, strength and flexibility are combined with the easiness in installation, make the SEACORK one of the top marine deck floors choices.

It is suitable for every type of deck when it is applied on top of the existing floor (fiberglass , wood , metal).

It is very soft and non -slippery even when wet. SEACORK marine floor is the safest floor option due to its superior quality that present high absorbency of the vibration combined with the non -slip surface

It is a natural insulator of heat caused by the sun's rays, as well as sound insulator as it reduces greatly the noises coming from the engine compartment of the boat. It is environmental friendly.

The properties of the cork floor make it practically impenetrable by all chemicals associated with naval use. Even when walking on it with heels, it is not damaged and recovers easily. The cork floor of SEACORK will last for lifelong without dents and stains

It needs no maintenance with special oils or special whitening cleaning products. It is simply washed with a common detergent as if washing the boat and its appearance will remain as brand new.



BOAT ACCESSORIES

Code	Description	Dimensions Thickness x Length x Width Strip width x Groove Width mm
4057-1	(Virgin Plate)	6 x 2000 x 500
4057-2		8 x 2000 x 500
4058-1	(Strip)	6 x 2000 x 47
4058-2		8 x 2000 x 47
4061-1	(Grooved Plate)	6 x 2000 x 500 x 47 x 11
4061-2		8 x 2000 x 500 x 47 x 11
4065-1 WHITE	Grooved plank plate precalked 3 different colors of the groove (black,white,grey)	6 x 2000 x 500 47 x 11
4065-1 BLACK		
4065-1 GREY		
4065-2 WHITE		8 x 2000 x 500 47 x 11
4065-2 BLACK		
4065-2 GREY		



ADDITIONAL PRODUCTS FOR THE SEACORK DECK FLOOR

Code	Description	Content
4026-Black	Caulking joint, superpower of advanced technology MS-Polymer	290 ml
4026-White		
4026-Grey		
4066	Polymer Glue of MS HYBRID polymer technology for fitting the seacork floor on any surface.	600 ml
4067-0	Surface protection. Fluid for protecting the non-slippery surface of the seacork floor.	½ L
4067-1		1 L

